

NO. 62837

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 05 1997

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed FEB 5 1997 under 62834

\*\*\*\*\*

The applicant Bently Nevada Corporation, hereby makes application for permission to change the Point of Diversion and Manner and Place of Use of a Portion of water heretofore appropriated under Permit 52018

\*\*\*\*\*

1. The source of water is an Underground Source
2. The amount of water to be changed 0.3870 CFS not to exceed 90.16 acre-feet per year
3. The water to be used for irrigation and domestic (no change)
4. The water heretofore permitted for irrigation and domestic
5. The water is to be diverted at the following point within the NW $\frac{1}{4}$  SW $\frac{1}{4}$  of Section 24, T.13N., R.20E., M.D.B.&M., or at a point from which the West  $\frac{1}{4}$  corner of said Section 24 bears N 45° 08' 56" W, a distance of 478.51 feet.
6. The existing permitted point of diversion is located within the SW $\frac{1}{4}$  NE $\frac{1}{4}$  of Section 32, T.13N., R.21E., M.D.B.&M., or at a point from which the SE corner of said Section 32 bears S32° 10' 46"E, a distance of 4247.40 feet.
7. Proposed place of use portions of the NW $\frac{1}{4}$  SW $\frac{1}{4}$  and the NE $\frac{1}{4}$  SW $\frac{1}{4}$  of Section 24, T.13N., R.20E., M.D.B.&M., Douglas County, Nevada, (Parcel Nos. 23-520-01 and 23-520-02)
8. Existing place of use SW $\frac{1}{4}$  NE $\frac{1}{4}$  and the NW $\frac{1}{4}$  SE $\frac{1}{4}$  of Section 32, T.13N., R.21E., M.D.B.&M., Douglas County, Nevada
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from March 1 to November 1 of each year.
11. Description of proposed works Drilled well, submersible pump, transmission line and sprinkler system
12. Estimated cost of works approximately \$100,000
13. Estimated time required to construct works 3 Years
14. Estimated time required to complete the application of water to beneficial use 10 Years
15. Remarks:

By s/B. J. Vasey  
B. J. Vasey, PE, RLS  
P.O. Box 247  
Minden, NV 89423

Compared my/bk cl/cms

Protested \_\_\_\_\_

62837

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 52018 is issued subject to the terms and conditions imposed in said Permit 52018 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permits 62837 and 62838 will be limited to the irrigation of 41.34 acres of land within the described place of use and limited to a total combined duty of water not to exceed 162.55 acre-feet annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.387 cubic feet per second, but not to exceed 90.16 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 7, 1998

Proof of completion of work shall be filed before:

August 7, 1998

Application of water to beneficial use shall be filed on or before:

July 7, 2000

Proof of the application of water to beneficial use shall be filed on or before:

August 7, 2000


Map in support of proof of beneficial use shall be filed on or before:

August 7, 2000

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,  
State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 7th day of July, A.D. 1997

  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

Abrogated by 65006 0.387